

**From:** [Robert Fox](#)  
**To:** [Carr, Brian](#); [King, Christopher \(Law\)](#)  
**Cc:** [Lieber, Thomas](#)  
**Subject:** RE: Revised Draft  
**Date:** Wednesday, January 27, 2016 8:14:48 AM

---

Thanks. Two minutes ago I asked Chris if we have a redline.

---

**From:** Carr, Brian [mailto:Carr.Brian@epa.gov]  
**Sent:** Wednesday, January 27, 2016 8:13 AM  
**To:** King, Christopher (Law); Robert Fox  
**Cc:** Lieber, Thomas  
**Subject:** RE: Revised Draft

Chris and Rob,

FYI, here is a redline/compare.

Brian E. Carr  
Assistant Regional Counsel  
United States Environmental Protection Agency  
Region 2  
Office of Regional Counsel  
290 Broadway, 17th Floor  
New York, NY 10007  
212-637-3170 phone  
212-637-3104 fax  
[carr.brian@epa.gov](mailto:carr.brian@epa.gov)

---

**From:** Carr, Brian  
**Sent:** Tuesday, January 26, 2016 7:00 PM  
**To:** King, Christopher (Law) <[CKing@law.nyc.gov](mailto:CKing@law.nyc.gov)>; Robert Fox <[RFox@mankogold.com](mailto:RFox@mankogold.com)>  
**Cc:** Lieber, Thomas <[Lieber.Thomas@epa.gov](mailto:Lieber.Thomas@epa.gov)>  
**Subject:** Revised Draft

Chris and Rob,

Attached is a revised draft. Apologies for the late transmission - EPA HQ is still not fully operational and other people in Region 2 are working remotely.

There are notes in draft for your information. Our drafting assumption based on our discussions is that the City will perform the work within the tank footprint and be reimbursed by Grid for MGP-related costs.

My recollection is that we were going to have a call on Friday. If you can confirm a time, I will provide the call-in number.

---

Brian E. Carr  
Assistant Regional Counsel  
United States Environmental Protection Agency  
Region 2  
Office of Regional Counsel  
290 Broadway, 17th Floor  
New York, NY 10007  
212-637-3170 phone  
212-637-3104 fax  
[carr.brian@epa.gov](mailto:carr.brian@epa.gov)